

Index specierum.

Descriptiones novae.

Lepidoptera.

- Colias Edusa ab. *Páveli* Aigner. (Hungaria), pag. 30. (Revue pag. 3.)
» Chrysotheme ab. *Hurleyi* Aigner. (Austria), pag. 31. (Revue pag. 3.)
» Heldreichi ab. *Fountainei* Aigner. (Graecia) pag. 31. (Revue pag. 3.)
Sesia empiformis var. *hungarica* Tomola (Hungaria) pag. 47. Revue pag. 6.)

Coleoptera.

- Cryptoccephalus Shäfferi var. *hungaricus* Csiki (Hungaria) pag. 103.
(Revue pag. 11.)

Insecta.

a) Hymenoptera.

- Abia fasciata, sericea, fulgens, nitens 184. Absyrtus lutens 208. Acoenites dubitator, arator, saltans 209. Acrotomus lucidulus 208. Aethcerus placidus 207. Allantus annulatus, Koehleri, costatus, bicinctus, viennensis, Schäffleri, flavipes, nothus, scrophulariae 186. Alomya ovator 207. Amblyteles camelinus, castigator, funerans, fusorius, gigantarius, glaucatorius 206. Gravenhorsti, hungaricus, occisorius, sputator, strigatorius, subsericans, uniguttatus, vadatorius 207. Anomalon tenuicorne, latro 208. Anthrena Páveli 184. Aptesis nigrocincta 207. Athalia spinarum, annulata, rosae 185. Páveli 184,
Bassus albosignatus, areolatus, bizonarius, festivus, lateralis, laetatorius, nemoralis, pectoratorius, sulcator 208. Blennocampa fuliginosa, pusilla, gagatina, bipunctata, ephippium, recta, fuscipennis, monticola 185.
Campoplex horticola, nitidulator, pugillator 208. Casinaria orbitalis, latifrons 208. Catoglyptus fortipes 208. Centeterus opprimator 207. Cephus haemorrhoidalis, pygmaeus, pulcher, troglodita, pallipes, analis, variabilis 206. Chasmodes lugens 206. Chorinaeus cristator 208. Chrysis Páveli 184. Cimbex hameralis, femorata 184. Cladius pectinicornis, ramicornis 184. Clavellaria americanae 184. Colpognathus celerator 207. Cremastus interruptor, bellicosus 208. Cryptus obscurus, peregrinator, sponsor, tricolor v. ornatus, tuberculatus, viduatorius 207.
Diadromus subtilicornis, troglodytes 207. Dicaelatus pumilus 207. Dineura verna 184. Dolerus haematodes, dubius, pratensis, antracinus, lucens, fissus, gonager, palmatus, triplicatus, anticus, quadrinotatus, v. bimaculatus, eglanteriae, lateritius 185.
Emphytus tener, dydimus, cinctus, pallipes, calceatus, filiformis, succinctus 185. Ephialtes carbonarius, rex, imperator, tuberculatus 209. Eriocampa ovata, luteola 185. Euryproctus rufoniger, nemoralis, geniculosus 205. Exestastes crassus, guttatorius 208, illusor, laevigator 209. Exolytus laevigatus 208.
Formica rufa 88, sanguinea 92, 123, 125, pratensis 125.
Glypta ceratites, fronticornis, flavolineata, vulnerator 209. Geniocryptus clypearis 207.
Hemiteles crassicornis, biannulatus, micator, cingulator, areator 208. Herpestomus facialis 207. Hoplismenus perniciosus, infastus 207. Hylotoma coeruleipennis, berberidis, enodis, ciliaris, ustulata, atrata, pagana, melanochroa, cyanocrocea, rosae 184. Ichneumon albilarvatus, albinus, albosignatus, balteatus, bucculentus, castaneus, castaneiventris, chianomus, confusorius, corruscator, culpator, curvinervis, derasus, extensorius, fabricator, flavatorius fuscipes, gracilicornis, grossorius, inquinatus, latrator, multianulatus, proletarius sarcitorius, terminatorius, vestigiator, suspiciosus, xanthorius, zonalis, 206, puerpera 201. Ichnus truncator 207. Ichneumon Birói 194.

Lasius fuliginosus 88, 92, *flavus* 124. *Leptobracon* Moesáryi 194. *Limneria allida*, *braccata*, *geniculata*, *notata*, *erucator* 208. *Liocryptus analis*, *cinctorius*, *cynator*, *grossus*, *insectator*, *insidiator*, *migrator* 207. *Lissonota bellator*, *committa*, *cylindrator*, *decimator*, *maculatoria*, *paralella*, *segmentator* 209. *Lophyrus nemorum* 184. *Lyda hortorum*, *sylvatica*, *stellata*, *bztulae* 186.

Macrophya rustica, *rufipes*, *punctum-album*, *eximia*, *punctata*, *chrysura*, *haemalopus*, *maculata*, *albicincta*, *albipuncta*, *blanda*, *neglecta*, *militaris*, *cognata* 186. *Megalommum* Birói 194. *Meniscus catenator* 200. *Mesoleius melanoleucus* 208. *Mesoleptus melanocephalus*, *protoleucus*, *ruficornis*, *typhae* 208. *Mesostenus ligator*, *albinotatus*, *pygoleucus*, *pygostorus*, *transfuga*, *funebris*, *gladiator* 207. *Mezochorás thoracicus* 208.

Nematopodius, *formosus* 207. *Nematus capreae*, *ribesii*, *myosotidis*, *miliaris*, *hortensis*, *fulvus*, *ambiguus* 184.

Opheltes glaucopterus 268. *Ophion lutens* 208. *Oronotus coarctatus* 207. *Orthepelma luteolator* 208.

Pachymerus cacitrator 208. *Pachyprotasis variegata*, *rapae* 185. *Perilissus filicornis*, *vernalis* 204. *Perithous mediator*, *varius* 209. *Pezomachus instabilis*, *Bonelli*, *Meigenii* 207. *Pimpla arundinator*, *detrita*, *examinator*, *instigator*, *robator*, *rufata*, *scania*, *stercorator*, *turionellae*, *varicornis* 209. *Poecilosoma guttatum* 185. *Polistes gallica* 180. *Polyblastus varitarsis*, *sanguinatorius* 208. *Phaeogenes eximus*, *flavidens*, *ophtalmicus*, *planifrons*, *stipator* 207. *Phygadeuon funator*, *jucundus*, *jejunator*, *parviventris*, *pimplarius*, *abdominator*, *brevis*, *diaphanus* 207.

Rhogogastera viridis, *picta* 186. *Rhyssa persuasoria* 209.

Sagarites zonata, *declinator* 208. *Schizocera geminata*, *intermedia*, *furcata* 184. *Schizogyyna podagriva* 209. *Scolobates auriculatus* 208. *Selandria serva*, *stramineceps*, *morio*, *temporalis* 185. *Sirex gigas*, *spectrum*, *melanocerus* 206. *Stilpaus gagates* 207. *Strongylogaster cingálatus* 186.

Tarpa plagioccephala, *cephalotes*, *Fabricii* 186. *Taxonus equiseti*, *glabratus* 185. *Tenthredo mandibularis*, *dispar*, *velox*, *lividia*, *colon*, *coryli*, *gracilenta*, *trabeata*, *bicincta*, *albicornis*, *flava*, *mesomelas*, *Chyzeri* 186. *Tenthredopsis nassata*, *sordida*, *lateralis*, *solitaria*, *Tischbeini*, *bistriata*, *ornata*, *cordata*, *scutellaria* 186. *Tetramorium caespitum* 121. *Thalessa citraria* 209. *Iherona flavicans* 209. *Tremex magus* 206. *Trichiosoma lucorum* 184. *Tryphon brachiacanthus*, *incestus*, *elongator*, *ephippium*, *rutilator*, *signator*, *trochanteratus*, *varius*, *vulgaris*, *compuncutor* 208.

Xylonotus filiformis, *gracilicornis*, *pilicornis*, *praecatorius* 209. *Nyphidria camelus* 206.

b) Lepidoptera.

Abraxas grossulariata, *sylvata*, *adustata*, *marginata*, v. *pollutaria* 117, *pantaria* 179. *Acherontia Atropos* 16, 20, 85, 110, 114. *Acidalia trilineata*, *flaveolaria*, *perochraria*, *ochraria*, *rufaria*, *dimidiata*, *Bischoffaria*, *straminata*, *pallidata*, *subsericata*, *obsoletaria*, *bisetata*, *trigeminata*, *filicata*, *rusticata*, v. *vulpinaria*, *humiliata*, *dilutaria*, *holosericata*, *nitidata*, *disfluata*, *degeneraria*, *inornata*, *deversaria*, *aversata*, ab. *spoliata*, *emarginata*, *imrrorata*, *marginepunctata*, *submutata*, *incanata*, *sumata*, *remutaria*, *nemoraria*, *puactata*, *caricaria*, *immitata*, *strigaria*, *umbelaria*, *strigilaria*, *emutaria*, *ornata*, *decorata*, *graciliata* 77, 117, *herbariata* 117, 126, *corrivallaria* 77, 117, *filacearia* 93, *virgularia* 117, v. *australis* 175, *rubiginata* 117, v. *ochreata* 175. *litigiosaria*, *mediaria*, *consolidata*, *infiraria*, *obsoletaria* v. *distinctaria*, *circutaria*, *turbidaria*, *Beckeraria* 178. *Acontia lucida*, v. *albicollis*, *luctuosa* 104, *moldavica* 99. *Acosmetia caliginosa* 83. *Acronycta leporina* v. *bradyporina*, *aceris*, ab. *candelisequa*, *megacephala*, *alni*, *strigosa*, *tridens*, *rsi*, *cuspis*, *menyanthidis*, *euphrasiae*, *ligustri* 60, *runicis*, ab. *obscursa*, *auricoma*, ab. *pepli*, *euphorbiae*. v. *montivaga* 60, 76. *Aedia funesta* 104. *Aglia tau* ab. *lugens* 37. *Agrophila trabealis* 105. *Agrotis strigula*, *janthina* 63, *triangulum*, *baja*, c-nigrum, *ditrapezium*, *stigmatica*, *umbrosa*, *rubi*, *florida*, *brunnea*, *festiva*, *cuprea*, *plecta*, *simulans*, *lucipeta*, *latens*, *forcipula*, *exclamationis*, *cinerea*, *recussa*, *transylvanica*, *nigricans*,

v. rubricans, ruris, vitta, saucia, epsilon, corticea, prasina, occulta 61, crassa 44, 61, segetum 16, 61, 85, v. pallida 61, 76, obelisca, praecox, vestigialis 61, 62. v. albidior 76, pronuba 19, 60. v. inuba, v. Hoegei 60, polygona, signum, linogrisea, fimbria, augur, 38, 60, olscura, orbona 39, 60, ab. subsequa 60, comes 39, 60, v. adsequa, v. prosequa 60, xanthographa 30, 61, v. cohaesa 61, depuncta, marginata, multangula, fugax, putris 32, 61, speciosa 52, hyperborea 52, 60, forcipula 40, 61, lucerneae v. dalmata, trux v. olivina 177, tritici 40, 61, v. eruta, v. transiens, v. aquitina 61, v. seligii 175, Ammoconia caecimacula 62, senex 177. Amphiadys betularius 119, Amphygra tragopogonis, tetra, pyramidea, perflua, cinnamomea 43, livida 12, 44, 83, v. sciaphila 177. Anaitis praeformata, plagiata, v. pallidata, pallidata, v. inbutata, 169, lithoxylata 176. Anarta lapponica 52, myrtilli 104. Angerona prunaria, ab. sordiata 118. Anisopteryx aceraria, aescularia 119. Anthocharis cardamines 51, 188. Apamea Dumerilii 177, testacea 62. Apatura Iris et varr. 77, illia et varr., ab. Clytie 187, ab. Phryne 76. Aporia crataegi 15, 51. Aporophyla nigra 62. Arctia villica, purpurata, aulica Hebe 10, caja 10, 15, casta 84, Quenseli 52, 97, 174 Argynnus polaris 52, Amathusia v. improba 96, Chariclea 52, 96, Freya 52, 97, Pales v. napaea 97, Selene, Dia, Euphyrosyne Ino, v. Fingal, Latonia, Pales v. Arsilache, Aglaja, Paphia 51. Niobe 51, v. orientalis 176, Hecata, Adippe, ab. Cleodoxa 43. Argyresthia pygmaeella 174, 211, Arsilonche albovenosa 61, ab. murina 177, Asphalia ruficollis, diluta, flavicornis, ridens 38. Aspilates gilvaria, strigillaria 120, formosaria 16. Asteroscopus nubeculosus 14, 104, sphinx 104. Aventia flexula 105.

Bapta pictaria, bimaculata, temerata 117. Biston hispidarius, pomonarius, zonarius, hirtarius, stratarius 119. Boarmia cinctaria, ab. consimilaria 77, 119, gemmaria, secundaria, abiectaria, repandata, ab. conversaria, ab. destrigaria, ab. maculata 119, roboraria, ab. infuscata, consortaria, ab. co-sobrinaria 77, 119, angularia, lichenaria, glabra, selenaria, v. diana, biundularia, crepuscularia, consonaria 119, luridata, ab. obscurior 77, 119, punctularia 119. Boletobia fuliginaria 105. Bombyx crataegi v. ariae 11, 76, populi 11, 129, castrensis, lanestris 11, v. senecta 175, cataba, ab. pallida, rimicola, ab. lutea, trifolii, ab. medicaginis 11, mori 15, neustria 11, 16, quercus 11, ab. tenuata 177. Bomolocha fontis, v. terricularis 77, 105. Botys nubilalis 16, descrepitalis 174, 210, perlucidalis 210. Brephos parthenias, nothum 105, puella 19. Brotolomia meticulosa 82. Bryophila raptricula, ab. carbonis 60, 76, ab. receptricula, fraudatricula, recepticula, ravula, v. ereptricula 60, algae, ab. mendacula, ab. calligrapha, perla 60, 76, muralis v. par 177. Bupalus piniarius 119, Butalis Emichii 201.

Gabera pusaria, ab. rotundaria, exanthemata 117. Caligenia rosea 10. Callimorpha dominula, Hera, v. lutescens 10. Calocampa vetusta 14, 164, exolepta 14, 19, 104, solijaginis 77, 104. Calophasia casta 14, 104, lunula 104. Calymnia pyralina, diffinis, amsinis, trapezina 83. Caradrina exigua morphetus 82, quadripunctata, v. menetriesi 77, 82, pulmonaris, resparsa, alsines, superstes, ambigua, taraxaci, palustris 82, selini 42, 77, v. minor 177. Carpcocapsa pomonella 15. Carterocephalus Palaemon 51. Catephia alchymista 105. Catocala fraxini 105, v. obscurior 77, 105, elocata, nupta, dilecta 63, 105, sponsa, promissa 105, electa, paranympna 63, 105, conversa 105, v. agamos 63, 105, hymenea 105, puerpera 44, conjuncta, eutychea, disjuncta 178. Caustoloma flavaria 118. Cerostoma falcella 174, 211. Charases Jasius 176. Chareas graminis 61, 172, ab. tricuspis 76. Chariclea purpurata 63, umbra 16, 104. Chariptera viridana 62. Cheimatobia brumata, boreata 169. Chemerina caliginearia 179. Chesias spartia, rufata 169. Chilopselaphus fallax 203. Chondrosoma filuciaria 201, 203. Cidaria dotata, fulvata, ocellata, bicolorata, variata, v. obeliscata, ab. stragulata, juniperata, siterata, miata, firmata, olivata, viridaria didymata, vespertaria, incursata, fluctuata, montanata 169, v. fuscomarginata 77, 169, quadrifasciaria, ferrugata, ab. spadicearia 770, ab. obscura 76, 170, v. unidentaria, sulfumata, pomoerazia, designata, flaviata, vittata, dilutata, ab. obscurata,

v. autumnata, caesiata, v. annosata 77, 170, nebulata, tophacea-
ta, frustata, verberata, scripturata, riguata, picata, cuculata, galiata,
rivata, sociata, unangulata, alaudaria, albicillata, lugubrata, v. obductata
hastata 170, v. gothicata 77, 170, v. subhastata, tristata, luctuata,
moluginata, affinitata, v. turbaria, alchemillata, lugdunaria, hydrata, uni-
fiscata, ab. aquilaria, minorata, adaequata, albulata, candidata, testa-
cea, Blomeri, decolorata, luteata 170, oblitterata, bilineata, sordidata,
v. fuscoindata, v. infuscata, trifasciata, capitata, silacea, ab. insulata,
corylata, berberata 170, nigrofasciaria, rubidata, v. fumata 77, 170,
sagittata, comitata, lapidata, polygrammata, v. conjunctaria, aquata,
vitalbata, tersata, v. tersulata, aemulata 170, simulata, turbata, flavi-
cinctata, inunitata, insidaria 98, malvata, badiata 178, vitalbata, v.
vareigata 178, truncata, v. perfuscata 169, v. latefasciata 76, 169,
salicata 169, v. ruficinctaria 77, 169, v. ablutoria 178, anseraria 44,
munitata, ruberata 176, nobiliaria 174, 176, cyanata, adumbraria 134. *Ciliix*
glucata 37. *Cirrhoidea* ambusta 13, 83. *Cleoceris viminalis* v. obscura
77. *Cleophana antirrhini* 14. *olivina* 178. *Cidia geographicus* 60. *Cloantha*
hyperisci, *polyodon*, *radiosa* 82. *Cnethocampa processionea*, ab. *luctifica*
175. *Cochylis ambigua* 19. *coenosana* 203, *rorida*, *curvistrigana*
174, 210. *Coenonympha pamphilus*, ab. *Thyrsides* 177. *Colias Chry-
sotheme*, ab. *Huileyi* 31. *Edua* ab. *Paveli* 30, 134, *Helreichi*, ab.
Fountainei 31. *Hecla* 52. *Palaeno* 51. *Nastes*, v. *Werdandi* 98. *Colix*
sparsata 170. *Cosmia paleacea* 83, *contusa* 77, 83, *abluta* 13. *Cossus*
terebra 16, 44, *cossus* 10, 127. *Crambus perrellus*, ab. *Warringtonellus* 177, 210. *Crateronyx taraxaci*, *dumi* 11, 19. *Crocallis tusciaria*,
63, 118, v. *Gaigeri* 179. *elinguaria*, ab. *trapezaria* 118. *Cucullia verbasci*,
scrophulariae, *lichnitis*, *tapsiphaga*, *blattariae*, *asteris* 104, *umbratica*,
lactucae 15, 104, *lucifuga* 104, *chamomillae*, *chrysanthemi*, *tanacetii*,
artemisiae, *absinthii*, *argentea*, *balsamitae* 15, 202, *lactucae* 104, 43,
scopariae 175. *Cyclopides Morpheus* 43. *Cymatophora duplaris* 62.
Dasycephala modesta 179. *Dasychia selenitica*, *fasciella*, *abietis* 11, *pudibunda* 11, 16, v. *concolor* 11, 76. *Deilephila nerii* 85, 109, 136, *celerio*
10, 110, 116, *livornica* 114. *Alecto* 116, *euphorbiae* 127, 138, v.
rubescens 76. *Demas coryli* 60. *Dianthoezia nana*, *compta*, *albimacula*,
capsincola, *cucubali*, *carpophaga* 61, *sejuncta*, *silenes* 203. *Dialectic*
artesiana 119. *Dicycla oo* 12, 83, ab. *renago* 83. *Dichonia convergens*,
aprilia, *aeruginea* 62, v. *miroleuca* 177. *Diloba caeruleocephala* 60.
Diphthera ludifica 60. *Dypterygia scabriuscula* 82. *Doryphora morosa*
211. *Drepana falcataria*, *curvatula*, *harpagula*, *lacertinaria*, *binaria*,
cultraria 57. *Dryobota roboris*, *protea*, *monochroma* 62, v. *suberis* 76. *sapori-
tae* 177. *Drynobia velitaris*, *melagona* 37. *Dyschorista suspecta* 13, 83,
v. *iners*, *fissipuncta* 83.

Earias vernana 9, *clorana* 10. *Eccrita ludicra* 63, 105. *Eilicrinia cordaria* 118.
Elachista bitasciella 174, 211. *Ellopia prosapiaria* v. *prasinaria* 117. *Ema-
turga atomaria*, ab. *unicoloraria* 119. *Emydia striata*, *critrum* 10. *Endagria*
ulula 202, ab. *infuscata* 176. *Endromis versicolora* 77, 151. *Epichnopteryx*
bombycella, *undulella*, *pulla*, *Sieboldii*, *pectinella*, *nudella*, *Sappho* 11.
Epinephele hyperanthus ab. *caeca* 76. *Janira* 43. *Epione apiciaria*, *paral-
lelaria*, *advenaria* 118. *Episema glaucina* 62, ab. *Gruneri* 98. *scoriacea* 62.
Epunda chenea 177. *Erastria argentula*, *uncula*, *pusilla*, *deceptoria*, *fas-
ciana* 104, *scitula*, *venustula* 147. *Erebia Manto* ab. *Caecilia* 97, *Tyndarus*
ab. *cassiooides* 97. *Gorge* ab. *tripodes* 98. *Medusa* 51, v. *subalpina* 76, *stygne*
55, *lappona* 51, 52. *Ligea* 51, *Afre* v. *dalmata* 177. *Eriopus purpureofasciata*
82. *Eubolia arenacearia*, v. *flavidaria* 120, 134, *murinaria* 120. *Euchelia*
jacobaeae 10. *Euclidia mi*, v. *litterata* *glyplica*, 105. *Eucosmia certata*,
undulata 169. *Eucrostes indigenata* 134, v. *nudilimbaria* 178. *Eudemis*
Kreithneria 211. *Eugonia querceanaria*, ab. *infuscata*, ab. *carpinaria* 118,
ab. *equestraria* 77, 118, *autumnaria*, *ainiaria*, *erosaria*, ab. *tiliaria*, ab.
unicoloria, *queraria* 118, *fuscantaria*, ab. *effuscaria* 176. *Eumera regina* 179.
Eurytome dolabraria 118. *Eupithecia oblongata*, *insigniata*, *subnotata*, *lin-
ariata*, *pusilata*, *abietaria*, *togata*, *debiliata*, *coronata*, *rectangulata* 170, ab.
subaerata, ab. *cydoniata*, ab. *nigrosericeata*, *chloerata*, *scabiosata*, ab. *obru-*

- taria 171, ab. aequistrigata 77, 171. millefoliata, denticulata, succenturiata 171⁹
 nanata, ab. obscurata 77, 171. innotata, semigrapharia, Mayeri, tenuata,
 plumbeolata, immundata 171, satyrata, ab. subatrata 77, 171, valerianata,
 veratratio, helveticaria, v. arceutata 171, castigata, trisignaria 77, 171,
 selinata 171, virgaureata, 77, 171, 174, vulgata, campanulata, albipunctata,
 actaeata, assimilata, absinthiata 171, expallidata 77, 171, pimpinellata,
 euphrasiata 171, distictaria 77, 171, indicata, laricaria, silenata, abbreviata
 77, 171, exiguata, lanceata, sobrinata, pumilata 171, conterminata 78,
 eynensata 174, fenestrata 134, egenaria, cucullaria 176. Euplexia lucipara
 82. Euprepia pudica 179. Exophyla rectangularis 178.
 Fidonia fasciolaria, roraria, carbonaria 119. Fumea nitella, affinis, betulina,
 sepium 11 crassiorella 98, reticulatella 179, nudella v. suriens 76
 Gelechi soroculella, longicornis, electella, galbanella 174, 211. Geometra
 papilionaria 116, vernaria, Glaphisia crenata 38. Glyptopteryx Haworthiana
 211. Gnophos furvata, obscuraria, ambiguata, v. vepretaria, pullata, v.
 confertata, v. inpectinata 77, 119, glaucinaria 176, v. falconaria 176, v.
 supinaria, v. plumbearia 77, 119, variegata, dilucinaria, obfuscaria 119,
 Stevenaria 134, asperaria 99, obscuraria v. calcata, onustaria, asperaria 179.
 Zelleraria, caelbaria, sordaria v. mendicaria 98. Gnoiphria quadra, rubri-
 collis 10. Gonophora derasa 38. Gortyna ochracea 82. Grammesia tri-
 grammica 12, bilineata 82. Grammodes geometrica 178. Grapholitha subo-
 cellana 174, 210, conformana 203.
 Habrophysis scita 82. Hadena porphyrea 81, adusta v. pavida 76, 88, ochroleuca,
 lateritia, abjecta 81, monoglypha v. obscura 76, 81. Lythoxylea, sublustris,
 sordida, basilinea 81, rurea ab. alopecurus, scolopocina, hepatica, gemina
 v. remissa, unanimis 82, didyma 82, 129, ab. leucostigma, ab. nictitans
 ophiogramma 82, pubularia 82, platinea 99, literosa, strigilis, ab. latrun-
 cula, ab. aethiops, bicoloria, ab. furcula 82. Halia wauaria, brunneata
 119. Harpyia bicuspidata, furcula, bifida, erminea, vinula 37. Helia calvata
 105. Helia tenebrata 104. Heliothis cognatus, cardui, ononis 104, dipsaceus
 63, 104, seutosus, peltiger 104, armiger 16, 104, 150. Heliotropha leu-
 ostigma, ab. fil rosa 82. Hepialus sylvinus, carna, lupulinus hecta 10,
 ganna 98, humuli v. hetlandica 10, 76, vellada 10, ab. gallicus 174,
 amantis 105, lupulina v. dacicus 179. Herminia cribrumalis, tentacularia,
 derivialis 105, modestalis 77, 105, Hesperia comma 51. Heterogenea lima-
 codes, asella 10. Hibernia rupicaprarria, bajaria 119, leucophearia, ab. mar-
 morinaria 77, 119, anrantia 64, 118, marginaria 118, deloharia, ab.
 obscura 76, 119. Aukeraia 64, 201. Himera pennaria 118. Hippa rectilinea
 82. Hiptelia ochreago 98. Holcophora helveolella 211. Hoporina croceago
 14, 103. Hybocampa Milhauseri 37. Hydrilla hospes 177. Hydroecia micacea,
 nictitans, ab. erythrostigma 82, v. lucens, 76, 82. Hylophila prasinana,
 bicolorana 10. Hypena rostralis, ab. radiatalis, proboscialis, obesalis 105.
 Hypenodes castaestrigalis, albistrigatus 105. Hypnomena malinella 15.
 Hypoplectis adspersaria, v. sylvanaria 118. Hypoota caestrum 202.
 Incurvaria rupella 211. Ino statices, v. crassicornis 76, Geiron 78.
 Jaspidea celsia 202. Jodis putata, lactearia 116.
 Laria L-nigrum 11. Lasiocampa potatoria, pruni, quercifolia, v. alnitolia 36,
 v. ulmifolia 177, populifolia, ab. aestiva, ilicifolia, pini, v. montana 36,
 ab. brunnea 36, 77, tremulifolia 16, 88, v. ambigua 175, tunigena v. lobu-
 lina 174, otus 188. Leioptilus osteodactylus 174, 211. Leucania impudeus,
 impura, pallens, obsoleta, comma, conigera, vitellina, l-album, albipuncta
 82, lythargyria, v. argyritis 76, 82, turca 12, 82, scripi, zeae, putrescens
 177, straminea 99. Leucanitis stolida 189. Leucoma salicis 11, 16. Lencop-
 hasia sinapis 51. Lobophora polycommata, sertata, carpinata, ab. zonata,
 sexalisata, viretata 169, appensata, 77, 169. Lophopteryx carmelita, came-
 lina, ab. giraffina, cuculla 37. Lucia epius 187. Luperina virens, Zollikoferi
 62. Lycaena Argiades 51, ab. Coreta 43. Sebrus, Argus, cyllarus, Astrarche,
 Icarus, Eumedon, Argiolus, minima 51. Escheri v. dalnatica 177. Jolas,
 Orion 88. Meleager, Admetus 43. Argus v. Argulus 76. Lygris reticulata,
 prunata, tersata, populata, ab. musauaria, associata 169. Lythria purpuraria,
 v. rotaria 120, sanguinaria 44. Limenitis populi 187. Lithocampa ramosa
 104. Lithosia muscerda, griseola, deplana, lurideola, anita et varr., luta-

- rella, pallifrons, complana, sororcula 10, marcida 176. Lithostege griseata farinata, 169.
- Macaria notata, ab. luteoralia 77, 118, alternaria, signaria, liturata 118. notata. Macroglossa stellarum 150. Madopa salicalis 105. Mamestra leucophaea. advena, tincta, nebulosa, contigua, thalassina, ab. achates, dissimilis, pisi 61, brassicae 16, 61, persicariae, alnicola, aliena, oleracea, genistae, glauca trifolii, refulcata 61, dissimilis v. varians 76, dentina 61, ab. Latenai, 76, serena 61, ab. obscura 76, cavernosa, implexa 203, marmorosa 61, v. microdon 98, peregrina 177, chrysozona 61, v. innocens, cappa 177, Mama maura 82 Melanargia Galatea, ab. Galene, ab. leucomelas 43. Melitaea urduinna v. rhodopensis 175. Parthenie 51. Athalia ab. Pyronia 44, asteria 97. Mesogona oxalina, acetosellae 18, 23. Mesotype virgata 169. Metoponia flava 105, v. subfumata 178. Metoptria monogramma 178. Metriocampa margaritaria, honoraria 118. Minia murinata 169, v. monochromatica 178. Miselia oxyacanthae 62. Myelois ceratoniae 210. Moma orion 60.
- Naclia punctata v. hyalina 134. Naenia typica 82. Nemeophila russula 10. plantaginis et var. 10, 98. Metelkana 191, 212. Nemoria viridata, porrinata, strigata, Nepticula trinaculella 211. Neuronia popularis, cespitis 61. Nola cucullatella, strigula, confusalis, albula, centonalis 10, subchlamydula 179. Nonagria cannae, spargani, arundinis ab. fraterna 82, geminipuncta, ab. guttans 76, 82. Noragria dissoluta v. arundineta 99. Notodontida tremula quernea, dictadeoides, torva, ziczac, dodonea, titophus, ab. alba, trepida, trinacula, bicoloria 37, dromedarius 37, 52. Nudaria senex, mandana 10. Numeria capreolaria, pulveraria, ab. obscurior 117, v. violaceraria 176.
- Ocneria dispar 11, 16, detrita 11. Odezia atrata '69 Odontepora bidentata 118. Oeneis bore 52. Orgyia gonostigma 11, 16, ai tiqua 11. Orihodia fragariae 14, 103, erythrocephala, ab. glabra, vau punctatum 103, veronicae 11, 103, ab. mixta, ligula, ab. polita, ab. subspadicea, rubiginea, ab. unicolor 103. Ortholympha coarctata, plumbaria, cervinata, limitata, moeniana 120, bipunctaria, ab. gachetaria 77, 120. Orthosia ruticilla, helvola, maculenta 13, 83, circellaris 83. pistacina v. serina 77, 83, v. iubetta, nitida, humilis, laevis, litura 13, 83. Oxytrypia orbiculosa 189, 202, 203.
- Pachynemnia hippocastanaria 119. Pachnobia leucographa, rubritrena 83, carnica 52. Paidea obtusa 130, 189. Panolis piniperda 83. Papilio Machaon 16, 43, 51, Podalirius 16, 43. Alexanor 176. Pararge Hiera, maera 51. Parnassius Moemosyne 51, 141, v. melanina 143, v. Hartmanni 143, v. nubilosus, v. gigantea 144, v. minor 144. Pechipogon barbalis 105. Peltonia vibicaria, calabria 117. Penthesia mygindana 174, 210, Double-dayana 210. Pentophora morio 11. Pericallia syringaria 118. Phalea bucephala 38. Pnasiane petraria, glarearia, chlathrata, ab. cancellaria 120. Phigalia pedaria, ab. extinctaria 77, 119. Paoroblastis Christophana 174, 211. Phorodesma pustulata 116, s naragdaria, v. prasinaria 77, 116. Photedes captiuncula 104. Patherochroa amandana 1. Pieris brassicae 16, 51, rapae 10, 51, v. Manni 176, napi 16, 51, v. napaeae, v. bryoniae 51, Calidice 51. Plastenis retusa, subtusa 83. Plegetes matronula 10. Ploseia pulverata 110. Plusia t. plasia 104, ascelepiadias 15, 104, tripartita, c-aureum, moneta, consona 104, modesta 15, 104. chrysits, chrysone, bractea 164, festucae 10, 104, gutta, iota, v. percontationis 104. pulchra, gamma, interrogationis, ain 104, circumflexa 178. Plutella polaris 97, dalella 174, 211. Pterostoma palpina 37. Ptilophora plumigera 38. Polia polymita, flavincincta, xanthomista 62, v. nivescens 98, ruficincta, v. mucida 98. Polyommatus Dorilis, phlaeas, Amphidamas 51. Polyphaenis sericata 82. Portesia chrysorrhoea 11, 16, simihs 11, 15. Prothymia viridaria 104. Pseudophilia lunaris 105, Pseudoterpna pruinata 116. Psilura monacha 11, 16, ab. eremita 11, ab. nigra 175. Psodos alticolaria 77, 119, coracina, alpinata 119. Psyche unicolor, villosella, viciella 11, 16, viadrina, opacella, muscella, plumifera, hirsutella 11, atra 98, Ecksteinii, Zelleri 16, febretta 179. Pygaera Timon, arastomosis, curtula, anachoreta, pigra 38. Pygmaea fusca 98. Pygolophia lugubrina 1.
- Rebelia suriei tella 179, plumella 176. Rhodocera rhamni 51. Rhyzogramma detersa 82. Rivuli sericealis 105. Rumia luteolata 118. Rusina tenebrosa 83. Sarrothripa undulana et varr. 9, 76. Saturnia pyri 37, 106, v. Abafii 17, spinii

- 37, 43, 145, pavonia 37, caecigena 7, hybrida major, minor 201. *Satyrus* Hermione, circe 43. *Scodionia conspersaria* 120. *Scoliopterix* 103. *Scopelosoma satellitia* 103. *Scoria lineata* 120. *Scotosia vetulata*, rhamnata, badiata 169. *Selenia bilunaria*, v. julianaria, lunaria 118, ab. sublunaria 77, 118, v. delunaria, tetralunaria v. aestiva 118. *Selidosema miniosaria* v. perspersaria 179, ericetaria 119. *Sesamia cretica* 177. *Sesia typhiasiformis* 98, 179, osmiaeformis 179, empiformis v. hungarica 47, 86. *Sesia alysoniformis* 176. *Culiciformis* v. thynniformis 76. *Setina irrorella* et varr., 10, 76. *rosolia* 10, v. melanomos 98, mesomella 10. *Simplicia rectalis* 105, 156. *Smerinthus tiliae* 18, 127. *hibrydus* 77. *convolvuli* 16, 20. *Spiralosoma fuliginosa*, v. servida 10, v. borealis 98, lactifera, mendica, lubricipeda, urticata 10, menthastris 10, 15, placida 179. *Stauropus fagi* 37. *Stegania trimaculata* 179, cararia 117. *Steganoptyla ustomaculana* 114, 211, cruciana. *Syrichthus malvae* 51.
- Taeniocampa gothica*, miniosa, pulverulenta, populeti 83, stabilis, v. grisea 77, 83, gracilis 12, 83, v. pallidior 77, 83, incerta, ab. fuscata 83, v. pallida 77, 83, opima, munda 12, 83, ab. immaculata 83, rorida 177. *Tapinostola fulva* 82, ab. fluxa 99. *Tephronia sepiaria* 119. *Thaleratimbrialis* 116. *Thalpocharles arcuina* 104. *Dardonini* 63, 104, respersa 104, 201, communimacula, purpurina 104, 147, lacernaria, ragusana, rosea, scitula 178, pannonica 153, otrina, v. carthami 99. *Thecla ilicis*, ab. cerri 134, *Quercus* v. bella 43, rubi 51. *Therapis evonymaria*, ab. obscura 118. *Thyatira batis* 38. *Timandra amata* 117. *Tinea gruella*, tapetzella, pellionella 15, *Ankerella* 203. *Tortrix ribeana*, ab. cerasana 174, 210. *Toxocampa lusoria*, pastinum, viciae, craccae 105, limosa 63. *Trachea atriplicis* 82. *Triphosa dubitata*, ab. cineraria 169. *Trochilum crabroniforme* 76.
- Ulochlaena hirta* 177. *Urapteryx sambucaria* 118. *Uropus ulmi* 37.
- Valeria oleagina* 62, 189. *Vanessa xanthomelas* ab, chelys 157, *Antiope* 51, v. Artemis, ab. *Hygaea*, Jo 51, v. Fischeri, ab. Antigone, ab. *Belsaria*, *Atalanta* 19, v. Merrifieldi, ab. *Clymene* 157, urticae 51, v. ichneusiooides 137, 167, cardui 16, 51, 150, ab. elymi 167, *Polychloros* 43, 51, ab. testudo 167, levana 51, c-album 19, 51. *Venilia macularia* 63, 118.
- Xanthia citrago* 13, 83, flavago 83, sulphurago 13, 83, aurago 14, 88, ab. fuscata, ab. unicolor 77, 83, fulvago 14, 89, ab. flavescentia, gilvago, ab. pallego, ocellaris, ab. lineago 83. *Xanthodes malvae* 99. *Xylina semi-brunnea*, socia, furcifera, ornitopus 103. *Xylocampa areola* 104. *Xylomiges conspicillaris*, ab. melaleuca 104.
- Zanclognatha tarplumalis*, *tarsicristalis*, *grisealis*, *tarsicrinialis* 105. *Zelleralis* 77, 105. *emortalis*, *tarsipinnalis*, *bidentalis* 105, *stramentacealis*, *tenuialis* 175. *Zeuzera pyrina* 10. *Zonosoma pendularia*, *annulata* 117, *pupillaria*, ab. badiaria 77, 117, *porata*, *punctaria*, v. *suppunctaria*, ab. *ruficiliaria*, *linearia*, v. *strabonaria* 117. *Zygæna filipendulae*, v. *coronillae* 43, *pilosella*, v. *diaphana* 76, *cynarae*, v. *genistae* 176, *exulans* 97, 174.

c) Diptera.

- Anthomyia canicularis* 16, 17. *Aricia humerella* 66. *Chortophila nuda*, triticiperda 66.
- Chrysops vulgaris* 127.
- Empis Kertészii* 66.
- Haematopota pluvialis* 189. *Homolomyia incisurata* 17.
- Lucilia macellaria*, nobilis, sericata 17.
- Musca domestica* 17, vomitoria 17.
- Piophila casei* 16. *Pipunculus trapezoides*, signatus, minutus 65. *Prosalpia pilatensis* 66.
- Sarcophaga canaria* 17. *Sarcophila Wohlfarti* 17. *Spilogaster pollinosa* 66.
- Tachomyza fusca* 16.

d) Coleoptera.

- Ablepton Treforti* 134. *Abraeus Zoppae* 163. *Abraecodes Raddei* 86, 162, *Adalia bothnica* v. *destituta* 165. *Adonia variegata* v. *transylvanica* 165. *Adoxus obscurus* v. *epilobii*, *villosulus* v. *Weisei* 165. *Acanthoberosus*,

- bispinus 161. Acupalpus elegans v. inornatus 161. Aesalus scarabaeoides 139. Agonum viridicupreum v. dalmaticum 44. Aleochara bipunctata v. croatica 86. 161. Allecula aterrima, morio 55. Anatis ocellata v. Boeberti 165. Anisoplia, monticola 163. Anopthalmus Mallászi, Bielzi v. transsylvaniaicus 190. Hegedüsi, Herculis, Páveli 133. Anthaxia nitidula v. cyanipennis 44. Aphodius montanus 163. Baris Gudenusi 164, v. purpurascens 134. Bathyscia insignis, Reitteri, Páveli 143. Bembidion Stephensii 160. Bythinus sculpticollis 162.
- Carabus comptus v. aurosericeus, v. marginatus, v. Zoppai, v. Ormayi 107. Ullrichi v. papukensis, v. Stüssineri 44, 160, obsoletus v. Csikii, comptus v. Dieneri, v. marginatus, v. Zoppai 160. Catops nitidicollis 152. Cebrio gigas, dubius 150. Cephaenium fulvum 162. Ceruchus chrysomelinus 133. Cetonia floricola 122. Ceutorhynchus striatellus 164, edentulus, canaliculatus 152. Chilo simplex 15. Cicindela campestris ab. protos, silvicola ab. tristis, hybrida v. riparia, v. maritima, litoralis ab. mediterranea, ab. venatoria, germanica ab. coerulea 160. Cidnorrhinus Kaufmanni 108. Cis bidentulus, laminatas, punctifer 86, 163. Cistela sericea v. tesselata 44. Claviger testaceus 124. Cleonus alternans v. caesus 44, 164. Clerus rufipes v. austriacus 163. formicarius 91. Coeliodes macrasper 151, proximus 152. Kaufmanni 164. Colocera formicaria 162. Copris hispanus 169. Cortoderia humeralis v. suturalis, holosericea v. pilosa, Frivaldszkyi, villosa, flavimana, v. nigrita, v. semitestacea, Birnbacheri, v. rubripes 103. Coryphus Birói 84. Crioceris quinquepunctata v. thoracica 165. Cryptocephalus Schäfferi v. hungaricus 103, transcaucasius 165. Cteniopus flavus v. murinus 164, v. sulphuripes 58. Cytilus sericeus v. tesselatus 162.
- Dermestes lardarius, bicolor 148. Dinapte Wrightii 4. Dinarda dentata 90, 122. Hagensi 122. Doreatoma setosella 173. Doreus parallelolipedus 139. Dyschirius gibbosifrons 160.
- Elater forticornis 163. Emenadia flabellata 164. Enecinus Motschulskyi v. Kiesenwetteri, v. rufescens 102. Enoplium serraticorne 163. Encymon Australasiae papuanus 84. Eurymnissa pluvialis 161. Geostiba infirma 99. Genodera Luperus 58, v. castanea 161.
- Haliplus guttatus 161. Halyzia 18- punctata v. Andersoni 165. Haplocnemus integer 44. Harpalus litigiosus 44, 161, taciturnus 161. Hedobia pubescens v. nigrina 163. Helophorus glacialis v. Deubeli 152, brevitarsis, Zoppae 152, 152. Hetaerius ferrugineus 125. Hydrophilus piceus 150. Hymenalia rufipes, morio 53. Hypera lsmiöra antennata, murina 56, testacea 56, 164, rubi, comata v. borealis 164.
- Isomira antennata, murina 56, testacea 56, 164, hungarica 84.
- Lamprinodes saginatus 130. Lamprinus erythropterus 130. Laricobius Erichsoni 163, Lasioderma thoracicum 163. Lathrobium coecum 133. Lema septentrionalis, Erichsoni, v. Lipperti 165. Leptusa fuliginosa, angusta, haemorrhoidalis, ruficollis, v. Ludyi, Bodemeyeri, carpathica, eximia, alpicola, Reitteri, cuneiformis 100, secreta 1-0, 161, puellaris, v. sudetica 100; 161, slavicornis, v. coronensis, v. abdominalis 100. Leptidea brevipennis 164. Leptomastax meladensis 134. Liosoma carpathicum, v. ruficollis 164. Lomechusa amurensis 89, strumosa 90, 92. Lucanus cervus 138, v. capreolus 110. Lycopterdina succinata, v. fasciata, v. disca 162. Lyctus impressus, v. capitatus 163.
- Meloiontha vulgaris 150. Mimeciton pulex 91, 22. Mycetina cruciata, v. Fussi 162. Mycetochara pygmaea 164, flavipes, axillaris, linearis, sulcipennis, quadrimaculata, humeralis, graciliformis 57. Mycetoporus oreophilus 161. Myrmelonina funesta, laticollis 92.
- Neorobia rufipes v. aeneipennis, pilifera 163. Neuraphus Deubeli 162. Niphetodes Spaethi 162.
- Ochthebius montanus 133. Peisonis, viridis 152, 161. Ocyphus brachypterus, v. aureotomentosus 162. Omalium funebre 162. Omophlus rugosicollis, rufitarsis 53, 59, lividipes 53, 60, Proteus 59, 1-4, armillatus, lepturoides, dispar, rugicollis, longicornis, picipes 59. Orestia Páveli 134. Orina alpestris, v. anthrisci, v. Bodemeyeri, virgulata v. orientalis 165. Orthogenius Schaumi 90. Otiorrhynchus ligustici 148. Fussianus 84. Oxypoda Spaethi 161.
- Pachyta quadrimaculata, v. bimaculata 164. Pentodon punctatus 150. Phaeton Deubeli 165. Phaenops Knoteki 163. Phaenotherion Pulszkyi 134. Philydrus hamifer 152, 161. Phytodecta viminalis, v. reniplagiata 165. Pityophagus laevior, v. Deubeli 162. Platycerus caraboides, v. rufipes 140. Platynus viridicup-

- reus, v. dalmatinus 161. *Platyprius sumatrensis* 150. *Podonta nigrita*, dalmatina 58. *Poromniusa trocidua* 160. *Pococerota festiva* 44, 163. *Prionychus ater*, melanarius 55. *Pselaphus nichadiensis* 131. *Pseudocistela ceramboides* 56. *Psylloides Schwarzi* 165. *Ptichus Strobli* 164.
Quedius brevis 123, ochropterus v. obscuripennis 161.
Rosalia alpina v. prolongata, v. geminata, v. parvnotata, v. oblitterata, v. Pici, v. Reitteri, v. multimaculata, v. confluenta, v. transsylvanica 164.
Saprinus foveicollis 162. *Schoenobius bipunctifer* 15. *Scutodipnus brevipennis* 133. *Sermyla halensis* 44, 165. *Silpha carinata*, v. carpathica, v. italica, bilineata, perforata 14. *Simplocaria Deubeli* 162. *Sinodendron cylindricum* 139. *Sisyphus Boeschini* 163. *Sphyrerosoma Seidlitzii* 162. *Stenos phyllobates* 86, 162, transsilvanicus 162. *Strangalia pubescens*, nigra, melanura, bifasciata, septem-punctata, v. quinquepunctata, v. suturata, verticalis 108. *Subcoccinella 24-punctata* v. haemorrhoidalis 165.
Tachyporus corpulentus, scutellaris, formosus, v. decoratus 130, 161, saginetus erythropterus, hypnorum, v. niger, v. atratus 130. *Termitobia physogastra* 90. *Thanatophilus multilatus* 162. *Theca pilula* 163. *Tragosoma depsarium* 164. *Trechus constrictus* 11, 160. *Bielzi* v. pilosellus. *Budae* v. cavituga, v. malomvicensis 162. *Trichodes apiarius* v. unifasciatus 163. *Triplax elongata*, carpathica, rufipes, v. swanetica, fusciventris 108 fusciventris 86, v. swanetica 162. *Trochoideus minutus* 24.
Xantholinus atratus 123. *Xylobius corticalis* 102, alni, 102, 163.
Zeugophora flavicollis v. australis 165.

e) Hemiptera

- Antennophorus Uhlmanni* 124.
Glyphopsis formicariae 124.
Paraeletus cimiciformis 121.
Phytocoris populi 127.

f) Orthoptera.

- Bacillus Rossi* 150
Isophya Paveli 134.

Arochnoidea.

- Tyroglyphus Wasmanni* 122.

Crustacea.

- Apagis cylindrata* 68.
Boeckella Entzii 194. *Bosmia longirostris* 69.
Ceriodaphnia quadrangula 69. *Cercopagis socialis*, tenera, micronyx, anonyx, robusta, prolongata 68.
Evdadne Nordmanni 67, 68, producta, anonyx, camptonyx, trigona, spinifera, tergestina, 68, mediterranea, aspinosa, intermedia 73, polyphemoides 75.
Leptodora hyalina 69.
Penilia Schmackeri 68, orientalis, pacifica, avirostris. *Podon intermedius*, Leuckartii, Schmackeri, Schoedlerii, trisetosus, polyphemoides, minutus, brevicaudis, 68. *Mecznikovii*. *Polyphemus exiguum* 68, pediculus 69.
Simoecephalus vetulus 69.