

Appropriate Mathematical Model of DC Servo Motors Applied in SCARA Robots

Attila L. Bencsik

Bánki Donát Faculty of Mechanical Engineering, Budapest Tech
Népszínház utca 8, H-1081 Budapest, Hungary
bencsik.attila@bgk.bmf.hu

Abstract: In the first part of the presentation detailed description of the modular technical system built up of electric components and end-effectors is given. Each of these components was developed at different industrial companies separately. The particular mechatronic unit under consideration was constructed by the use of the appropriate mathematical model of these units. The aim of this presentation is to publish the results achieved by the use of a mathematical modeling technique invented and applied in the development of different mechatronic units as drives and actuators. The unified model describing the whole system was developed with the integration of the models valid to the particular components. In the phase of testing the models a program approximating typical realistic situations in terms of work-loads and physical state of the system during operation was developed and applied. The main innovation here presented consists in integrating the conclusions of professional experiences the developers gained during their former R&D activity in different professional environments. The control system is constructed on the basis of classical methods, therefore the results of the model investigations can immediately be utilized by the developer of the whole complex system, which for instance may be an industrial robot.

Keywords: mechatronic, system investigation, industrial robot, DC servo motor, PID control

1 Model of the Servo Motor

The first step was to design the model of a PM motor in order to perform the analysis. The system model has two main parts and several smaller units.




Figure 1




Figure 2

As a following step the control circuit was developed using the previous results.

$$U_{be}(t) = U_{R_a} + U_{L_a} + U_i \quad (1)$$

$$U_{be}(t) = i_a R_a + L_a \frac{di_a}{dt} + K_1 \quad (2)$$

$$U_i = K_i \Omega \quad (3)$$

$$M_{mot} - M_{load}'' = M_{accelerator} = \Theta \frac{d\Omega}{dt} \quad (4)$$

$$K_2 i_a - M_{load} - B_V \Omega = \Theta \frac{d\Omega}{dt} \quad (5)$$

Loop of the circle:

$$U_{be}(t) = i_a R_a + L_a \frac{di_a}{dt} + K_1 \Omega \quad (6)$$

$$K_2 i_a = \Theta \frac{d\Omega}{dt} + M_{load} + B_V \Omega \quad (7)$$

The system-model:

$$L_a \frac{di_a}{dt} = U_{be}(t) - i_a R_a - K_1 \Omega \quad (8)$$

$$\Theta \frac{d\Omega}{dt} = K_2 i_a - M_{load} + B_V \Omega \quad (9)$$




Figure 3

Interpretation of the blocks in system description

$$\begin{array}{c} \text{In}_1 \\ \text{In}_2 \\ \hline \text{SUM} \\ \hline \text{Out} \end{array} \quad \text{Out} = \text{In}_1 + \text{In}_2$$

$$\begin{array}{c} \text{P} \\ \hline \text{In} \\ \text{ATT} \\ \hline \text{Out} \end{array} \quad \text{Out} = \frac{\text{In}}{\text{P}}$$

$$\begin{array}{c} \text{P} \\ \hline \text{In} \\ \text{GAI} \\ \hline \text{Out} \end{array} \quad \text{Out} = \text{In} \cdot \text{P}$$

$$\begin{array}{c} \text{In}_0 \\ \hline \text{In} \\ \text{INT} \\ \hline \text{Out} \end{array} \quad \text{Out} = \int \text{In} \cdot dt$$

Motor given by the system-model can be regarded as only unit

$$\begin{array}{c} \text{U}_{bc}(t) \\ \hline \text{M}_{terh}(t) \\ \hline \text{MOTOR} \\ \hline \text{Omega}(t) \\ \text{i}_a(t) \end{array}$$

Parameters of the motor used in simulation 80W

$$R_a = 0,360 \text{ [W]} \quad L_a = 0.14 \cdot 10^{-3} \text{ [H]}$$

$$Q_{rotor} = 1,22 \cdot 10^{-4} \text{ [kg} \cdot \text{m}^2\text{]}$$

$$K_1 = 50,1 \cdot 10^{-3} \text{ [Vs]}$$

$$M_n = 0,301 \text{ [Nm]}$$

$$K_2 = 50,1 \cdot 10^{-3} \text{ [Nm/A]}$$

$$U_{be} = U_n = 15 \text{ V}$$

B_v clamping coefficient (viscosity) is not given in the catalogue. Let take the value of B_v so that in slow running, no-load current flows in the motor, $I_0 = 324 \text{ mA}$.

$$W_0 = 286,78 \text{ rad/s. If } I_0 = 310 \text{ mA then } M_{vis} = 0,05 M_n ! \text{ Then } B_v = (0,05 \cdot M_n) / W_0 = 5,23 \cdot 10^{-5} \text{ [Nms]}$$

$$\text{Time constants of the motor: } T_{el} = \frac{L_a}{R_a} = 3,8 \cdot 10^{-4} \text{ s}$$

$$T_{emech} = \frac{R_a \cdot \Theta}{K^2} = 1,7 \cdot 10^2 \text{ s}$$

For evaluation of the results presented in diagram.

Stepping the curves (leaving them as the results):

On the left side of the diagram is the scaling. (Ω , α , $I_{current}$, U_{switch} , $I_{current}$) The first number indicates the value belonging to the lower level of the rectangle which is divided into parts by sections, the second number indicates the changing value belonging to the upper level.

(In the case of those variables where the absolute value of these numbers is the same, sign is different, the **0** axis can be found on the centre line of the rectangle.)

Time on the horizontal axis can be seen on each diagram in [s].

Voltage signals can be found in the lower field of the diagram. Current signals situated symmetrically compared to the centre line (revolutions are the same except running-up curves).

The basic signal for the position can also be seen in the circles for the regulation of the position. The torque signal (when it is not nul) there next to the diagram can be found in a small coordinate-system.




Figure 4

- a) Load $M_l=0$; $t=200$ ms; $I_a=0,3105$ A; $U_{be}=15$ V; $W_0 = 297,1$ rad/s
- b) Load $M_l=M_n=0,3$ Nm; $t=200$ ms; $I_a=6,253$ A; $U_{be}=15$ V; $W_n=254,46$ rad/s

2 The Rotation Control Circuit




Figure 5

$$\Omega_{\text{fault}} = \Omega_{\text{basis}} - \Omega(t) \tag{10}$$

$$U_{\text{delta}} = K_{\Omega} \cdot \Omega_{\text{fault}} \tag{11}$$

As in the steady state operation ($M_l = \text{at constant}$)


$$U_{be}/\text{basis} = U_i/\Omega_{\text{basis}} + I_a \cdot R_a/\Omega_{\text{basis}} \tag{12}$$

and $U_i \gg I_a \cdot R_a$ inner voltage decrease is expedient, if

$$U_{\text{basis}} = K_1 \cdot \Omega_{\text{basis}} = U_i/\Omega_{\text{basis}} \tag{13}$$

K -proportional coefficient of amplification influences the accuracy of control when K_{Ω} is increased the Ω_{fault} converges to 0.

Hereinafter the circle for revolutions control can be considered as an only unit.






Figure 6

$M_t=0$; $K_\Omega=200$; $t=9.99$ ms; $\Omega=100.001$ r/s; $t=20$ ms $\Omega=200.00$ r/s




Figure 7

$M_0=0$; $U_{be\lim} \pm 15$ V; $K_\Omega=200$; $t=50$ ms; $\Omega=200.00$ r/s

In Fig can be seen that following the unit jump the system wants to intervene faster and in the result of it more kV (i.e. much more current) is taken up. With real supply unit it is impossible to achieve. For rated voltage with unbounded supply voltage.




Figure 8

$M_t=0$; $U_{be_{lim}} = \pm 15$ V; $t=20$ ms; $\Omega = 99.999$ r/s; $I_a=104.6$ mA; $U_{be}=5.047$ V; $K_\Omega = 400$

Under the same conditions in what has gone before $K_\Omega=1000$. Non-damping vibrations set in. By increasing the proportional coefficient of amplification the accuracy of regulation can be increased, but problems of stability can arise.




Figure 9

Effect of drive inertia. Reduction on motor-axis.




Figure 10

at $t=50$ ms; $U_{bc}=7.209$ V; $I_a=6.092$ A; $\Omega=99.994$ r/s; $\Theta=3\Theta_{rotor}$

On the basis of capacity:

$$M_r \cdot n_m = M_{load} \cdot n_{load} \cdot \frac{1}{\eta} \quad (14)$$

η - transmission efficiency

$$M_r = M_{load} \cdot \frac{n_{load}}{n_{motor} \cdot \eta} = M_{load} \cdot \frac{1}{a \cdot \eta} \quad (15)$$

Kinetic energy:

$$\frac{1}{2} \Theta_{load} \cdot \Omega_{load}^2 = \frac{1}{2} \Theta_r \cdot \Omega_m^2 \cdot \eta \quad (16)$$

$$\Theta_r = \Theta_{load} \cdot \frac{1}{\eta \cdot a^2} \quad (17)$$

In accordance with the relationship follows that in the case of reducers inertia of the driven arm has less influence. If the reduced inertia can be compared with the rotor inertia as it seen in Fig 6, regulation slows down (T increases) and the current load of the armature considerably increases.

Building up the regulating circle for the position.

3 The Position Control

Feedback of the proportional regulating loop for the position is performed by potentiometer.




Figure 11

K_α proportional coefficient of amplification influences accuracy and stability of regulation. (Fig. 7, 8, 9)

As it seen from the diagrams that the proportional coefficient of amplification is sensitive to the scale of amplitude in the base signal. The inertia of the driven arm considerably impact on the quality of control, too.

The Whole circuit design Was concluded by the solution of the position control.

Funktion between $\alpha_{\text{fault}}(s)$ and $\Omega_{\text{basis}}(s)$:

$$K \cdot \left(\frac{1}{s} T_i + \frac{1 + s \cdot T_d}{1 + a \cdot s \cdot T_d} \right) \quad (18)$$

where T_i integration
 T_d differential time constant
 K amplification factor
 at $a=1$ or $T_d=0$ PI regulation can be achieved




Figure 12

$M_t = 0$ influence of the proportional coefficient of amplification $K_\alpha=300$ aperiodic
 $K_\alpha=500$ aperiodic with swing-off $K_\alpha=1000$ periodic, with damped vibration.




Figure 13

$M_t=0$ at $t=100$ ms; $\alpha=19.899$; $U_{bc}=-0.009$ V; $I_a=-0.386$ A

K_α proportional factor of amplification should be the function of the basic signal amplitude. $K_\alpha=300$ set in to the 40° jump at 90° jump results swing-off, by decreasing of it the accuracy depreciates.

$\Theta = \Theta_{rotor}$ aperiodic swing-off free set in of the rotor.

$\Theta = 3\Theta_{rotor}$ aperiodic set in of the rotor with swing-off

at $t=50$ ms; $U_{bc}=0.028$ V; $\alpha=40.008^\circ$; $I_a=0.095$ A; $\Omega = -0.043$ r/s




Figure 14

If the inertia of the arm can be compared with the inertia of the rotor - so in that case it has a great influence on the position regulating circle, too. The quality of range changes under the same conditions and so does the range time.




Figure 15

Parameters: $K=100$; $T_d=10^{-3}$; $a=0.05$; $M_l=0$; $t=150$ ms; $I_a=-0.006$ A; $U_{bc} = 0.0028$ V; $\alpha = 19.998^\circ$; $\Omega = 0.0018$ r/s

$\Theta = \Theta_{\text{rotor}}$ her initial run-up takes place faster

$\Theta = 3\Theta_{\text{rotor}}$, then run-up is slower but the set-in (has the) same quality.

$\Theta = 3\Theta_{\text{rotor}}$ at $t=50$ ms; $U_{bc}=-0.025$ V; $\alpha=39.976^\circ$; $\Omega=0.068$ r/s




Figure 16

Fig. 16 repetition of simulations Fig 14. with PD control




Figure 17

As it seen that in most part of reset time great amount of current falls to the armature. At starting without current limit, cca 39 A peak current appears. Amplification factor of PID member is: $K=200$

$M_i=0$ Amplification factor as the PID member should be decreased by $K=80$ for stability sake. Setting time increases significantly.

In the case of real load control into the positions station can be very quick, so in every starting much current load to be reckoned with.

The motor is unable to bear in a long run. Current belonging to its nominal moment is 6,1 A but at starting it is 5-6 times more.




Figure 18

Conclusions

In accordance with these principles the presentation is rich in illustrations selected from the ample set of particular investigations. Though the limited size of this paper does not make it possible to give the full description of the verification of

the models applied, it is worthy of note, that via completing wide-spread series of simulations and measurements the appropriate models have been verified.

The main aim of the here published development was to bring about an open motion control system for a robot used for educational purposes.

References

- [1] I. J. Rudas, L. Horváth: Fault Detection in Industrial Robots Using a Learning Control Based Approach. *Proc. of the 32nd SICE Annual Conference. Kanazawa, Japan, 1993.*
- [2] Dr. Attila Bencsik-György Suszter: Investigation of Robot Arm Rigidity *Mechatronics* Vol. 3. No. 2. pp. 185-203 1993.
- [3] A. Bencsik, I. J. Rudas: Simulation Tool for Interactive Design of Force Reflecting Master Arms. *Bulletins for Applied Mathematics* 947/94. The 25th Year's Jubilee Meeting in London, United Kingdom. pp. 99-105.
- [4] Givon C. K. Yan, Clarence W.de Silva and George X. Wang Simulation and experiments on Intelligent control of a Wooddryng Kiln. *IFAC Symposion on Artificial Intelligence in Real Time Control (AIRTC-2000) Budapest, Hungary, Preprints pp.75-79.*
- [5] Ales Hace, Karel Jezernik :Robust Position Tracking Control for Direct Drive Robot *Proceedings of the International Conference on Itelligent Engineering Systems (INES 2000)*, Portoroz, Slovenija, pp. 121-124.